

MARSHALLS INDIAN SANDSTONE COLLECTION



Bringing new texture to your world...


We understand that different schemes require different products, different colours and different textures, which is why we are always looking for ways to enhance our range.

That's why we've introduced **3 new textures** to our prestigious Indian Sandstone collection:

- Flamed
- Clearblast
- Bush Hammered/Brushed

Allowing you to mix and match colour and texture to create rich aesthetics for truly inspirational schemes.





Marshalls Indian Sandstone

vasarta Bend

Our Indian Sandstones are some of the most technically & ethically robust Sandstones available in the market and have already been used on prestigious projects up and down the country.

But Marshalls can offer more than just products. We can help with different aspects of a project, including design and useful meeting spaces. Put simply, we will be with you from start to finish to ensure you get the most from our products and realise the full potential of your project.



CLIENT: IM PROPERTIES LANDSCAPE ARCHITECT: BEA LANDSCAPE DESIGN CONTRACTOR: BAM

Sander Red - BLASTED

Bea Landscape Design Ltd. opted to blend Sander Red with a blasted finish from our Indian Sandstone collection to create a stunning array of pathways alongside contemporary decorative panels within this business park setting.

Tactile paving that utilised stainless steel nibs was also used in various areas.

This project also incorporated Marshalls' Tegula block concrete paving in the car park areas and Pallas in the pedestrian areas alongside a buff Indian sandstone.



Full Colour Range

LAUREL BANK THORNLAKE BROWNRIDGE BRACKENDALE SANDER RED





CLIENT: PROJECT MINT @ 02 LANDSCAPE ARCHITECT: RTKL CONTRACTOR: 0'KEEFE CONSTRUCTION

Thornlake | Brownridge | Laurel Bank - BLASTED

Architects RTKL, opted for the use of Thornlake, Brownridge and Laurel Bank in our plank Stonespar shape.

The project displays how colours from within the Indian Sandstone collection can be mixed and matched to achieve stunning results.



Case Study


CLIENT: **LEND LEASE** LANDSCAPE ARCHITECT: **GUSTAFSON, PORTER & BOWMAN** CONTRACTOR: **MAYLIM LTD**

Thornlake - FLAMED Brownridge | Laurel Bank - BLASTED

The architects, Gustafson Porter & Bowman's, landscape design has created intrigue through the use of angular zones comprising of precision cut bespoke rhombus shaped sandstone.

Alternating sections of cream Laurel Bank sandstone and buff / brown Brownridge sandstone are intersected by bands of grey Thornlake sandstone, black granite and Stainless Steel strips.

The remarkable diamond shaped sandstone had to be meticulously cut to maintain the crisp linear flow of the space.



Ethical Sourcing & The ERI

Ethical sourcing is the process of ensuring products are procured in a responsible and sustainable way, the people involved in obtaining them are safe and treated justly, and that environmental and social implications are taken into consideration.

Each stone in the Marshalls range is given a score out of 5 based on ten ethical dimensions, giving customers the insight required to make ethical decisions.

Marshalls Indian Sandstones score 3.6 out of 5 on the Ethical Risk Index, giving confidence that these stones are ethically sourced.



Technical Strength Data



Marshalls Indian Sandstones are some of the strongest stones in our range.

Adhering to the strict 'Marshalls Stone Standard', these Sandstones not only meet, but exceed the base technical levels outlined in BS7533 Part 12.

This gives you peace of mind that the stones you have selected have been tested for water absorption rates, Flexural strength and frost resistance, giving you products that will stand the test of time.

Test	Brackendale	Thornlake	Brownridge	Laurel bank
Open Porosity	4.1%	3.99%	2.87%	4.05%
Apparent Density	2552 kg/m ³	2597 kg/m ³	2601 kg/m³	2565 kg/m³
Water Absorption	1.2%	1.37%	1.15%	1.23%
Flexural Strength	27.5 MPa	31.8 MPa	28.9 MPa	22.5 MPa
Compressive Strength	174 MPa	26.5 MPa	29.1 MPa	27.0 MPa
Freeze Thaw	37.7/31.9 MPa	150.9 MPa	150.6 MPa	130.2 MPa
Abrasion Resistance	17.5mm	15.5mm	17.0mm	17.5mm

Performance data



Marshalls plc Landscape House Lowfields Business Park Elland HX5 9HT United Kingdom

T: 03704 11 22 66 E: natstone.sales@marshalls.co.uk

www.marshalls.co.uk/naturalstone

