

RhinoGuard[®]

Steel GateKeeper[®]



LEADING THE WAY IN TEMPORARY, PROTECTIVE SOLUTIONS

ENGINEERED TO DELIVER MAXIMUM STOPPING POWER


The RhinoGuard® Steel GateKeeper® is the ideal, **temporary** solution for protecting crowds of people gathering at events such as sporting fixtures or Christmas markets, against the threat of terrorist-borne vehicle attacks or accidental collisions. Crash tested to IWA 14.1 standards, GateKeeper® provides **protection** against vehicles weighing up to 2.5 tonnes, **travelling up to 30mph**.



Surface-mounted, with **no requirement for anchorage**, the system **doesn't rely on kerbing or structural aids**, giving users complete flexibility on where the units are positioned and because of the **lightweight design**, can be lifted and installed by a team of four.

Due to its **modular** design, the individual upright elements can also be removed at any point within the length to allow **immediate access** for emergency services vehicles.


Specification



Individual unit

Height (mm): 1093
Width (mm): 1725
Weight (kg): 245

11 unit array



Unit Measurement Chart


NO OF UNITS	TOTAL LENGTH (mm)	TOTAL WIDTH (mm)
5	6,324	1,876
6	7,589	1,876
7	8,854	1,876
8	10,119	1,876
9	11,384	1,876
10	12,649	1,876
11	13,915	1,876

Typically installed in units of 5 and above, GateKeeper® is completely modular and suitable for any space.

Customise your design

GateKeeper® is fully galvanised to protect against corrosion and is available with the option of powder coating and branded customisation, providing an ideal solution for use on busy high streets or events.


Standard shroud design options are available to suit a variety of events, including Christmas markets, festivals and sporting fixtures.




Festival



Original




Grass



Holly




Football



Present



Brick



Christmas

Marshalls RhinoGuard® GateKeeper®

Quickly deployable without relying on kerbs or structural aids



Surface mounted and temporary meaning limited disruption during installation



Fully galvanized mild steel providing long term protection from corrosion



SECURITY RATING

Can withstand vehicles weighing up to 2.5 tonnes, travelling up to 30mph
Successfully crash tested to IWA 14.1 standards

IWA 14.1 V2500(N1G)/48/90:5.2
(11 unit crash test)


IWA 14.1 V2500(N1G)/48/90:11.7
(5 unit crash test)



Shrouds have the option of branded customisation or powder coating



Pedestrian permeable



Lightweight design and can be installed by a team of four

Requires no anchorage

Allows access for emergency services vehicles anywhere within the array

Compact End

Protruding just beyond the outside face of the barrier shroud, the compact end provides an alternative solution for installations with insufficient space for the standard end unit.

Docking Station

For installation where the uprights and shrouds are to be removed, the docking station provides safe and secure storage for the removed items.

Kerb Transition

Kerb transition joints allow GateKeeper® assemblies on roads and footpaths of varying heights to be connected in a single continuous run.

Retractable Barrier Tape

Retractable barrier tape allows sections of the GateKeeper® assembly to be closed or opened as required.

Drive Over Ramp

For installations requiring vehicular access, drive over ramps can support vehicles weighing up to 40 tonnes and can be used with or without protective GateKeeper® uprights.

Features & Benefits




5 module array



11 module array



Anti-slip finish



Completely modular so suitable for any space



Registered Office:
Marshalls plc,
Landscape House, Premier Way,
Lowfields Business Park,
Elland, HX5 9HT
United Kingdom

UK: 0370 600 2425

International: +44 (0) 1422 312 993

USA: +1 603 465 1254

UAE: +971 50777 6308

marshalls.co.uk/landscape-protection




Marshalls
Landscape Protection

DMD_17751