



natural stone

GRANITE COLLECTION

marshalls.co.uk/naturalstone



Marshalls

Creating Better Spaces



Marshalls was founded in the 1890s when *Solomon Marshall first quarried and produced Cromwell Yorkstone from the hillside at Southowram.*

Since then, Marshalls has developed into the country's leading supplier of natural stone, as well as commercial hard landscaping products, linear drainage and street furniture. The experience gained from those early days has enabled Marshalls to evolve and adapt to meet customer needs, becoming the most innovative and exciting stone supplier in the country.





Added Value
Marshalls' natural stone range combines breadth of choice with a reliable, low risk supply chain.

Marshalls are the UK's premier manufacturer and distributor of natural stone products for the built environment.

As well as a broad range of indigenous UK stone, Marshalls offers materials that have been carefully selected via our long-established network of international stone partners. All overseas stone is responsibly sourced through a robust, proven supply chain, independently audited to ensure our high standards of ethical compliance and best practice are maintained.

When it comes to stone selection, Marshalls' experience in helping achieve exceptional projects is linked to a broad knowledge of stone, combined with an appreciation for the performance requirements and aesthetic touches needed to achieve brilliant results. With a range of granites from Iberia, Vietnam and China, Marshalls have the portfolio of products to achieve any designer's vision for their space.

Marshalls' in-house experts can offer advice on selection and assist with value engineering, and have the capability to offer bespoke design and production, even including advanced artwork techniques such as embossing, water-jet work and inlaying.

As owners of the largest fleet of crane offload vehicles in the UK we can also offer complete site flexibility in even the most demanding of environments and time sensitive programmes.



TENDER

- Dedicated staff offer support and pricing
- Technical advice and value engineering a specialty
- Industry leading supply chain transparency offered, from audit reports through to quarry and production visits



MANUFACTURE

- State of the art production capabilities offer true flexibility and design freedom
- Dedicated quality control both in the UK and abroad
- Recognised as the most sustainable, best practice-driven UK stone supplier



SELECTION & DESIGN

- Our UK quarry portfolio offers the broadest palette of British stone for designers to engage with
- Proven, independently audited supply chains offer low-risk access to the global stone market
- Fully tested technical performance data, CE marks and case studies available
- Design Service offers support including CAD and BIM



ON SITE

- Ownership of vehicle fleet offers unmatched on-site flexibility
- Marshalls fleet offers full UK coverage for consistent, low risk logistics
- Dedicated project ownership at Marshalls for consistent site liaison



Ethical Procurement & ERI

At Marshalls we are committed to consistent supply of the very best quality natural stone, purchased to the very highest standards of ethical best practice.



QUALITY

At Marshalls all our own quarries and stone production facilities carry not only the international mark of Quality ISO9001 but also the International Environmental ISO14001 accreditation and the ISO18001 accreditation for Health & Safety. From our other stone suppliers we demand a commitment to the quality of both production and also of materials. Marshalls has its own locally based inspectors on the ground who ensure that consistency and quality are at the heart of everything we do.

ETHICAL

Our commitment to the ethical sourcing of natural stone from abroad is regarded as exemplary. Not only have key people from Marshalls provided leadership at the Ethical Trading Initiative (ETI) but we are the only construction sector signatory to the UN Global Compact which relates to ethical standards. We have BES6001 certification for responsible sourcing, and were the first company in the world to be awarded BES6002 for ethical labour sourcing. To monitor our activity in sustainability, please visit www.marshalls.co.uk/sustainability and view our United Nations Global Compact "Communication on Progress".

ENVIRONMENTAL

All Marshalls own quarries and production facilities have environmental accreditation to ISO14001. Further to that we have undertaken the largest single carbon footprinting of construction products in the world with over 3,000 individual products being carbon footprinted. All our Yorkstones, our Indian sandstones and Chinese granite are all carbon footprinted so that any choices of material can be understood and assessed in regards to the effect on the environment.

WORKING WITH OUR SUPPLY CHAIN

At Marshalls we work with our suppliers to improve the standards of materials, production and worker's conditions continually. Our suppliers are chosen for their commitment to quality, consistency and ethics as well as their knowledge and versatility. Designers and contractors need confidence in their supplier and we are committed to achieving a seamless service regardless of where the materials come from.


THE ETHICAL RISK INDEX

The Marshalls Ethical Risk Index (ERI) is the next step on the journey toward full supply chain transparency in the Natural Stone sector. Using a bespoke framework built on independent audits, customers are given a genuine insight into the multi-dimensional ethical challenges facing stone procurers; with the aim of apprising users of potential issues and with a clear rating system to allow for more informed decision making.

MARSHALLS ETHICAL RISK INDEX

Scoring the ERI begins with an analysis at the Country-level, utilising various publicly available NGO-driven frameworks. From this, independent auditors, engaged to examine Marshalls supply chain, establish a baseline expectation of the cultural paradigm in that country. They can then delve into the supply chain and assess Marshalls' stone quarrying and processing operations; also contrasting it against the quarries and manufacturers supplying stone products to the wider stone industry. Thus the final ERI score for each stone type is always contrasted against the non-Marshalls supply chains for that material.

To illustrate the relative level of ethical risk, the Ethical Risk Index score is initially displayed using a basic Risk Indicator. This provides a quick, simple insight into the degree of ethical risk associated with that stone type, and how the Marshalls supply chain compares to the cluster. If users require a more in-depth perspective, they can access the Ethical Radar which clearly displays the scoring for that product against each of the 10 measures making up the ERI score.



For more information, please visit www.marshalls.co.uk/eri

Inspire with artwork

The difference between a good project and a truly memorable project is often in the detail. Those design flourishes that can inspire the viewer, or perhaps help them learn more about the history of the locale.

Stone is endlessly versatile, with our skilled masons able to use classic techniques and the latest technology to create works of art. From advanced water-jet production, to traditional hand finishing and inlaying, designers specifying stone can be more ambitious than ever when visualising compelling new spaces.




Stainless Steel Lettering, Liverpool



Inspire with design

Pattern can be used to transform the visual aesthetic of a space. Mimicking a geometric pattern feature present in a building or landscape design adds character to a space and can even give the appearance that the area is larger than it is.

Incorporating coloured banding and different sizes into a pattern has a striking visual impact in a scheme. Introducing an accent colour can give a touch of warmth to even the most sophisticated of spaces.



Southbank, London



City Centre | Bristol

INSPIRE WITH DESIGN

CASE STUDY

Marshall's supplied Scoutmoor Yorkstone paving and silver grey Despina granite to the Bristol City Centre regeneration scheme. The Despina granite was supplied in a leathered finish to create sweeping planters, steps and seating units spanning the length of the development. The units had to be designed to incorporate both a radius and a gradient enabling the multi-level design in the centre. Free standing planter units were also supplied to the scheme in the same silver grey material to add delineation between the pathways and roadways.



Intu Shopping Centre | Watford

INSPIRE WITH SIZE

CASE STUDY




The £180m redevelopment of Watford's Intu shopping centre transformed the mall into one of the UK's largest in-town shopping centres.

Marshalls worked directly with the contractor, Laing O'Rourke to place the order for the natural stone paving and handover to Vettors when they were appointed as sub-contractor.

For the pathways surrounding the shopping centre, Marshalls' Scoutmoor Yorkstone was chosen with a Capital surface finish to blend in with the existing paving in the area.

For the internal space, a blend of five granites was selected to form a mix ranging in colour from silver grey through to mid grey to black. Varying sizes were also used in the laying pattern to create an interesting band running through the larger flags.

The same granite mix has also been employed on the external approach to form a cohesive flow from the outside space into the shopping centre.



Inspire with blends

The deliberate mixing of different elements to create a positive tapestry of colour and interest across a space. Designers are now becoming adept at blending stones together to create innovative and unique palettes which can create either cool or warm spaces or can take in a small flavour of the surrounding environment's colours. Different coloured granite setts are quite commonly blended but we have also seen granite paving being used in the same way.



Wellington Place, Leeds

Wellington Place | Leeds

INSPIRE WITH BLENDS

CASE STUDY

As part of the development of new offices in Leeds' Wellington Place, Marshalls were selected to supply a range of Natural Stone paving products from the Granite Collection.

A three colour mix consisting of silver grey, mid grey and a buff was selected and applied in a random laying pattern. The stone was laid in planks to give the appearance of a more expansive space. The buff granite brings with it a suitable contrast to the grey tones to offer a welcomed accent in the mix and coordinating with the timber used in the granite seating.

Together with the plank paving, Marshalls also supplied bespoke granite seating and planter units with timber cladding to house the area's soft landscaping. The planters were supplied in the same material as the silver grey used in the granite paving mix for a cohesive aesthetic.


Marshalls' granite was also selected for the step units leading up to the entranceways to the building, complete with contrasting treads for enhanced visibility.



Inspire with texture

The use of an appearance, feel or consistency of a material to create effects or contrasts for a design. The texturing of stone affects its pigment; from a subtle shade variation to a complete change of colour. The most dramatic changes tend to be on the stronger coloured stones such as blacks and strong reds but then buffs and beiges are significantly altered by flame texturing.

Different textures can also be a way of creating subtle banding within an element without having to try and mould two stones together. Heavier textures could be used to determine walking routes, a warning around ground mounted features such as fountains and hills or even as a deterrent for skateboarders.



Pier Head, Liverpool

Lillie Square | London

INSPIRE WITH TEXTURE


CASE STUDY

Lillie Square is a contemporary residential development in the heart of London's prestigious Kensington and Chelsea district. It features a range of luxury homes and duplex apartments set across a number of low-rise mansion blocks, drawing on the heritage of West London in its architectural design.

The first phase of Lillie Square, one of London's newest premium residential developments has been completed. Lillie Square will eventually be made up of over 800 homes, with a quarter of these build in the first phase.

Marshalls supplied the four granite mix setts to the project utilising colour tones ranging from silver grey through to black.


The elliptical water feature was also designed and supplied in Prospero granite by Marshalls. Highlighting its versatility, the Prospero granite was supplied in various surface finishes to create different visual aesthetics from the flamed band around the circumference, a fine picked kerb, split setts and a polished central feature.





portuguese naturalstone

GRANITE COLLECTION



- ARCHE
-
- ASCELLA
-
- CARINA
-
- DORADO
-
- LYRA
-
- MIZAR
-
- NESO
-
- OBERON
-
- SARGAS
-
- TARVOS
-
- UMBRIEL
-

PORTUGAL IS BLESSED WITH A FINE SELECTION OF NATURAL GRANITES; AND IS ONE OF THE MAJOR SOURCES OF EUROPEAN NATURAL STONE.

Portuguese Granite
ARCHE



ARCHE GRANITE

Predominantly light to mid grey, the stone is available in a flamed, blasted and honed finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Quarried and produced in Europe to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2613 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.31%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	10.49 Mpa	Mean value to EN 12372 : 2006




FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Arche: **Blasted**



Arche: **Honed**



Arche: **Flamed**



Ascella: **Flamed**

NEW Portuguese Granite
ASCCELLA

ASCCELLA GRANITE

This pale grey / brown stone in a flamed, blasted or honed finish, gives the granite a unique appearance for varying applications. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Ascella flamed finished granite is suitable for both pedestrian or vehicular trafficked areas. Quarried and produced in Europe to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislations. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2540 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.3%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	12.2 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Ascella: **Blasted**



Ascella: **Honed**

Portuguese Granite
CARINA

NEW



CARINA GRANITE

This medium grey stone is available in a flamed, blasted and polished finish. Suited for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Quarried and produced in Europe to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2740 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.2%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	24.7 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Carina: Blasted



Carina: Polished



Carina: Flamed

Portuguese Granite
DORADO

NEW


DORADO GRANITE

Predominantly light to mid grey, this stone is available in a flamed, blasted and polished finish. Suited for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Quarried and produced in Europe to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2630 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.3%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	15.9 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Dorado: Blasted



Dorado: Polished



Dorado: Flamed

Portuguese Granite
LYRA

NEW

LYRA GRANITE

This deep red to brown granite is available in a flamed, blasted and polished finish. Suited for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Quarried and produced in Europe to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2600 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.2%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	12.9 Mpa	Mean value to EN 12372 : 2006




FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Lyra: Blasted



Lyra: Polished



Lyra: Flamed



Portuguese Granite
MIZAR

NEW


MIZAR GRANITE

This buff stone is available in a flamed, blasted finish and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Quarried and produced in Europe to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation.



TECHNICAL DATA		
DENSITY	2560 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	1.3%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	14.2 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Mizar: Blasted



Mizar: Polished



Mizar: Flamed

Portuguese Granite
NESO

NEW

NESO GRANITE

This buff stone is available in a flamed, honed and blasted finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Quarried and produced in Europe to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2571 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	1.14%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	6.43 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Neso: Blasted



Neso: Polished



Neso: Flamed



Portuguese Granite
OBERON

NEW

OBERON GRANITE

Predominantly light to mid grey, this stone is available in a flamed, blasted and polished finish. Suited for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Quarried and produced in Europe to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2620 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.3%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	13.4 Mpa	Mean value to EN 12372 : 2006




FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Oberon: Blasted



Oberon: Polished



Oberon: Flamed

Portuguese Granite
SARGAS

NEW




SARGAS GRANITE

Predominantly light to mid-grey in appearance, Sargas Granite is available in 3 finish options – blasted, flamed and honed. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Quarried and produced in Europe to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2720 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.22%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	18.92 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Sargas: **Blasted**



Sargas: **Honed**



Sargas: **Flamed**



Tarvos seating, **Flamed**



Tarvos: **Flamed**

Portuguese Granite
TARVOS


TARVOS GRANITE

This silver grey stone is available in a flamed, blasted or honed finish, each of which gives the granite a different appearance for varying applications. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Quarried and produced in Europe to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2571 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	1.14%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	6.43 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Tarvos: **Blasted**



Tarvos: **Honed**


Portuguese Granite
UMBRIEL



UMBRIEL GRANITE

Umbriel is a light grey stone and is available in a flamed, blasted or honed finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Quarried and produced in Europe to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2647 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.21%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	19.64 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI




Umbriel: **Blasted**



Umbriel: **Honed**



Umbriel: **Flamed**



★ vietnamese naturalstone

GRANITE COLLECTION



BELLEVILLE

FITZROY

KREUZBERG

MALASAÑA

PRAGA

SÖDERMÄLM

TAKSIM

VESTERBRO

YALETOWN

VIETNAM REPRESENTS AN EXCITING OPPORTUNITY FOR MARSHALLS' GRANITE OFFER, WITH SEVERAL INTERESTING AND UNIQUE NEW OPTIONS.


Vietnamese Granite **BELLEVILLE**



BELLEVILLE GRANITE

This subtle violet stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2654 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.23%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	13.10 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Belleville: **Fine Picked**



Belleville: **Polished**



Belleville: **Flamed**



Vietnamese Granite **FITZROY**

FITZROY GRANITE

This buff stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.


Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2373 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.9%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	13.5 Mpa	Mean value to EN 12372 : 2006




FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Fitzroy, **Flamed**



Fitzroy: **Flamed**



Fitzroy: **Fine Picked**



Fitzroy: **Polished**

Vietnamese Granite **KREUZBERG** **NEW**


KREUZBERG GRANITE

As part of the new Black Granite Collection, this black stone is available in a flamed, fine picked and polished finish. Available for product areas such as paving, setts, kerbs and tactile.

Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.




TECHNICAL DATA		
DENSITY	2832 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.53%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	17.33 Mpa	Mean value to EN 12372 : 2006



Kreuzberg paving, Flamed




Kreuzberg: Fine Picked



Kreuzberg: Polished



Kreuzberg: Flamed



Vietnamese Granite **MALASAÑA**



MALASAÑA GRANITE

This red stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.



Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2603 kg/m ²	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.22%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	13.8 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Vietnamese Granite **PRAGA**

PRAGA GRANITE

Predominantly blue to grey, the stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.


All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2898 kg/m ²	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.04%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	17.12 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Vietnamese Granite **SÖDERMALM**



SÖDERMALM GRANITE

This silver grey stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2653 kg/m ²	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.40%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	16.9 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Vietnamese Granite **TAKSIM**

TAKSIM GRANITE

Taksim is a light grey to pink stone available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2628 kg/m ²	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.23%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	12.45 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Vietnamese Granite **VESTEBRO**



Vietnamese Granite **YALETOWN**

VESTEBRO GRANITE

Vesterbro is a white to cream stone with black crystal aggregations available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2666 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.18%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	17.5 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



YALETOWN GRANITE

This mid-grey stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.


Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2820 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.17%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	19.63 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI





CALLISTO

CRESSIDA

DESPINA

ELARA

GALATEA

IMPERIAL RED

LARISSA

MIMAS

NAMAKA

PROSPERO

PROTEUS

ROSALIND

TRINCULO

TRITANIAL

VELA

CHINA IS A HUGE AND DIVERSE MARKET FOR NATURAL STONE, WITH ONE OF THE BROADEST COLOUR PALETTES OF GRANITE MATERIAL IN THE WORLD.

Chinese Granite **CALLISTO**




CALLISTO GRANITE

This popular silver grey stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.


Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2620 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.38%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	15.39 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Chinese Granite **CRESSIDA**


CRESSIDA GRANITE

This darker pink stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.




Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2656 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.20%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	16.2 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Chinese Granite **DESPINA**



DESPINA GRANITE

This mid grey stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA

DENSITY	2650 kg/m ²	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.10%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	15.5 Mpa	Mean value to EN 12372 : 2006



ETHICAL RISK SCORE

OUR SCORE: **1.4**

CLUSTER SCORE: **1.1**



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Chinese Granite **ELARA**

ELARA GRANITE

Marshalls' Elara Granite is a hard-wearing, strong and durable granite suitable for both pedestrian and vehicular trafficked areas. Predominantly buff with tones of grey orange and grey, Elara Granite is available in 3 finish options - flamed, fine picked, and polished - to match different applications and their needs, whether they call for a smooth aesthetic or superior non-slip properties.

Elara Granite, like all Marshalls Granites, is produced to ISO9001 quality assurance standards and fully tested to the appropriate standards in the UK, as well as being UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA

DENSITY	2581 kg/m ²	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.34%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	12.02 Mpa	Mean value to EN 12372 : 2006


ETHICAL RISK SCORE

OUR SCORE: **1.9**

CLUSTER SCORE: **1.3**



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Chinese Granite **GALATEA**




GALATEA GRANITE

This light silver grey stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2610 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.30%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	12.8 Mpa	Mean value to EN 12372 : 2006




FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Galatea: Fine Picked



Galatea: Fine Picked



Galatea: Polished



Galatea: Flamed



Chinese Granite **IMPERIAL RED**


IMPERIAL RED

This red stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2526 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	1.27%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	15.6 Mpa	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Imperial Red, Polished



Imperial Red: Flamed



Imperial Red: Fine Picked



Imperial Red: Polished



Chinese Granite
LARISSA



LARISSA GRANITE

This light beige stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA

DENSITY	2607 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.52%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	12.8 Mpa	Mean value to EN 12372 : 2006

ETHICAL RISK SCORE

OUR SCORE: **1.4**

CLUSTER SCORE: **1.1**



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Larissa: Flamed



Larissa: Fine Picked



Larissa: Polished

Callisto Flamed and Larissa Flamed and Fine Picked

Chinese Granite
MIMAS



MIMAS GRANITE

This red stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.


Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.




TECHNICAL DATA		
DENSITY	2603 kg/m ²	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.33%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	15.8 Mpa	Mean value to EN 12372 : 2006



Mimas: Fine Picked



Mimas: Polished



Mimas: Flamed



Chinese Granite
NAMAKA

NAMAKA GRANITE

This grey-green stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2818 kg/m ²	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.13%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	23.4 Mpa	Mean value to EN 12372 : 2006




Namaka, Flamed



Namaka: Fine Picked



Namaka: Polished



Namaka: Flamed

Chinese Granite **PROSPERO**






PROSPERO GRANITE

This medium grey stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2983 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.11%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	17.68 Mpa	Mean value to EN 12372 : 2006




Chinese Granite **PROTEUS**

PROTEUS GRANITE

As part of the new Black Granite Collection, this black stone is available in a fine picked, flamed and polished. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2860 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.20%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	20.4 Mpa	Mean value to EN 12372 : 2006



Chinese Granite **ROSALIND**





ROSALIND GRANITE

This light pink stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2600 kg/m ²	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.35%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	12.8 Mpa	Mean value to EN 12372 : 2006



Chinese Granite **TRINCULO**

TRINCULO GRANITE

This mid grey stone is available in a flamed, fine picked and polished finish. Available for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2773 kg/m ²	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.18%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	17.7 Mpa	Mean value to EN 12372 : 2006









TRITANIAL GRANITE

This rich black stone sits as part of the new Black Granite Collection, available in flamed, fine picked or polished finish. Most suitable for setts/ small element paving however also available for other product areas such as kerbs, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

Quarried and produced to ISO9001 quality assurance standards. All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislations. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2984 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.12%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	19.77 Mpa	Mean value to EN 12372 : 2006






VELA GRANITE

Part of the new Black Granite Collection, Vela Granite is a hard-wearing, strong and durable granite suitable for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.

This Black Granite is available in a Fine Picked, Flamed, and Polished finish. Vela Granite, like all Marshalls Granites, is produced to ISO9001 quality assurance standards and fully tested to the appropriate standards in the UK, as well as being UKCA marked in accordance with the latest legislation.



TECHNICAL DATA		
DENSITY	2840 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.2%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	16.0 Mpa	Mean value to EN 12372 : 2006





TRENTINO
PORPHYRY

ITALY IS RENOWNED GLOBALLY AS THE
SOURCE OF SOME OF FINEST NATURAL
STONE ON THE PLANET.

Italian Porphyry
TRENTINO PORPHYRY




TRENTINO PORPHYRY

Trentino Porphyry consists of purples, browns, greys and golds, which have been blended to form three different colour mixes. Available as paving, setts, cobbles and kerbs.

All Marshalls Granites are fully tested to the appropriate standards in the UK and are all UKCA marked in accordance with the latest legislation. Porphyry is extremely hard wearing, strong and durable as a landscaping material.



TECHNICAL DATA		
DENSITY	2550 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.9	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	23.1	Mean value to EN 12372 : 2006



FOR FURTHER INFORMATION ON THE ERI, PLEASE VISIT WWW.MARSHALLS.CO.UK/ERI



Trentino Porphyry: Multi Mix



Trentino Porphyry: Grey Brown Mix



Trentino Porphyry: Purple Mix





ALTAIR

OUR INDIAN GRANITE RANGE CONTAINS SOME OF THE HIGHEST TECHNICALLY PERFORMING STONES IN THE WORLD.


ALTAIR GRANITE

As part of the new Black Granite Collection, Altair is a unique, striking Black Granite suitable for all product areas such as paving, setts, kerbs, tactile, steps, water management, street furniture or other bespoke specialised masonry items such as veneers for planters or furniture.


This Black Indian granite is available in Flamed, Clear Blast, Blasted and Polished finishes. Altair Granite, like all Marshalls Granites, is produced to ISO9001 quality assurance standards and fully tested to the appropriate standards in the UK, as well as being UKCA marked in accordance with the latest legislation. Granites are generally hard wearing, strong and durable landscaping materials.



TECHNICAL DATA		
DENSITY	2780 kg/m ³	Mean value to EN 1936 : 2006
WATER ABSORPTION	0.10%	Mean value to EN 13755 : 2008
FLEXURAL STRENGTH	13.6	Mean value to EN 12372 : 2006




Altair: Blasted and Flamed



Altair: Clearblast




Altair: Blasted



Altair: Polished



Altair: Flamed



GRANITE

INSPIRATIONS

CREATE SOMETHING UNIQUE WITH GRANITE BLENDS



The Marshalls granite portfolio lends opportunity for design creativity with a selection of colours, textures and finishes. Patterns and colour variations can be used to break up large spaces or to add further depth to the perimeter of a landscape.

Adding small areas of buffs, reds or browns into a landscape adds an engaging warmth to even the most sophisticated spaces. Alternatively, using bold splashes of colour can complement adjacent architecture or reinforce the branding of a location.

Using the granites in the brochure, we have hand selected mixes to inspire you for your next project.



GRANITE MIX 3




GRANITE MIX 3



GRANITE MIX 1



GRANITE MIX 2




GRANITE MIX 5



GRANITE MIX 6





Marshalls plc
Landscape House
Lowfields Business Park
Elland HX5 9HT
United Kingdom

T: 03704 11 22 66
E: natstone.sales@marshalls.co.uk

marshalls.co.uk/naturalstone


Marshalls
Creating Better Spaces