

Conservation X Kerb 145 x 255 Step Tread 2 Strip

Date Created: 08/10/21



Conservation X
Step Kerb - Silver
Grey

Marshalls' Conservation X kerb step units are an ideal step solution for complementing the paving to create a desirable landscape scheme.

DESCRIPTION	
Manufacturing Process	Hydraulically pressed concrete
Base Raw Material	Concrete
Governing Manufacturing Standards	All data where relevant to be established in accordance with BS EN 1339:2003
Type	Solid unit with textured surface
CE Marking/DOP	https://www.marshalls.co.uk/declarations

Conservation X Kerb 145 x 255 Step Tread 2 Strip

Date Created: 08/10/21

PHYSICAL PROPERTIES

Work Dimensions (mm)	255 x 145 x 915
Tolerances on Work Dimensions (mm)	Length ±2mm, width ±2mm, thickness ±3mm
Abrasion Resistance (mm)	≤ 23mm (Wide Wheel Abrasion Test)
Durability (Freeze-thaw)	≤ 1.0 kg/m ² as a mean with no individual value > 1.5 kg/m ²
Material Density	2300 kg/m ³ (typically)
Slip/Skid Resistance (polished)	Mean polished skid resistance value (PSRV) : > 45
Slip/Skid Resistance (unpolished)	Mean unpolished skid resistance value (USRV) : > 45.
Thermal Conductivity (K value)	Design data as defined to BS EN 13369

SPECIFICATION

Approx unit weight (kg)	83
Emission of Asbestos	No content
External Fire Performance	Deemed to satisfy. See commission decision 2000/553/ECU
Reaction to fire	Class A1, see commission decision 2000/605/EC
Materials Control	UKCA Marked to BS EN 1340

SUSTAINABILITY

Carbon Footprint	0 kg CO ₂ m ²
------------------	-------------------------------------

SUPPLY

Units Per Pack	14
----------------	----

FURTHER INFORMATION

Cleaning & Maintenance	Available on request
Efflorescence	Any product containing cement during its early life may exhibit a temporary white discolouration known as efflorescence. This is not a product fault and will gradually disappear with exposure to natural weathering and trafficking
Weathering	It should be appreciated that with all products weathering and site conditions can cause shade variation to appear across the surface of individual units. This does not in any way affect the performance of the units and any such variation will diminish over a period of time as the product matures.
Product Evolution	Marshalls reserve the right to amend the technical information as deemed necessary and in accordance with the relevant national and international standards without notice.
Contact Us	For technical information on the design, specification and construction when utilising the product, contact Group Technical Services on 0370 411 2233